

NSWC REPEAT MAKERDB/DUPRDB BRIEF 2003

Kevin Ryan
LMTO

MAKERDB

- CREATE A COMMON DATA BASE FROM VARIOUS FORMATTED MESSAGES
  - COMMON FIELDS THAT ALLOW A SINGLE VIEW OF TACTICAL DATA.
- REPEAT DATA BASE DATA USED TO SUPPORT SEVERAL QUICK ANALYSIS PROGRAMS.
- USED WITH DUPRDB USER CAN MARK DUPLICATE DATA.

DUPRDB PROGAM

- RECOGNIZES AND MARKS TRUE DUPLICATE MESSAGES
- ALSO MARKS DUPLICATE CONTACT REPORTS BASED ON DTG, LAT/LON AND NAME CRITERIA
- NORMALLY RUN IN CONJUNCTION WITH MAKERDB BUT CAN BE RUN AS STANDALONE PROGRAM

MAKERDB INSTRUCTIONS

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

```
                    Select files to decode
C:\PROGRA~1\REPEAT\CLASSIC\\*.STP_
F1=HELP  ESC=NoValue
```

```
                        MAKERDB - Version 2003
                    * * * DOD CONTROLLED SOFTWARE * * *
            * * * UNAUTHORIZED USE OR DISTRIBUTION PROHIBITED * * *
This program builds an RDB data base file from a REPEAT
Tactical Data File.
MAKERDB  [special formats]
Where: special formats are:
       JDS (Joint Display System)
       STACCS (Standard Theater Army Command and Control System)
       TRETAB (Tactical Receive Equipment Tabular Format)
       BE3
Type 'MAKERDB ?' for command line instructions.

               -- Hit <CTRL-C> to return to the DOS prompt. --
```

MAKERDB FILE MENU

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

C:\PROGRA~1\REPEAT\DATA*.TDF

..\	D.TDF	FX100S2X.TDF	FX200S2X.TDF
√FX20S2X.TDF	FX300S2X.TDF	GE100S2X.TDF	GE200S2X.TDF
GE20S2X.TDF	GE300S2X.TDF	GF100S2X.TDF	GF200S2X.TDF
GF20S2X.TDF	GF300S2X.TDF	KKK.TDF	NE100S2X.TDF
NE200S2X.TDF	NE20S2X.TDF	NE300S2X.TDF	NF100S2X.TDF
NF200S2X.TDF	NF20S2.TDF	NF300S2X.TDF	

This pr
Tactica
MAKERDB
Where:

Type 'M

Move cursor to desired file, press Enter.
Mouse: Left=SELECT, Right=ESC, Middle=HELP.

PgDn PgUp F1 Help ESC Select a new path.

MAKERDB VIEW

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

```
Enter Start-of-Message String : OTXFM
Special start values - %HELP (default) - %NONE - %LINE - %ABORT
OTXFM:0212
TO:0234,0000,0000,0000,0000
TDP MSN:1001
V6 MSN:6001
TYPE:02
PRECEDENCE:IMMED
TEXT:Y
NET:OTCIXS DATA
ERR:OKAY
ZNR UUUUU
O 030800Z JUL 02
FM SCENARIO INPUTS
TO JMCIS
BT
UNCLAS
MSGID/JWID 01 SITES/JUNIT/0001/JUL
JUNIT/J13091/NEWPORT NEWS TERRORIST HQ/UNK/UNK/ARM/SABOT/KR/24//
/RPT000013091/3
JPOS/030800Z1/JUL/3650N4/07700W4/OTHER
JUNIT/J13002/RADAR SITE ORANGEBURG/ES/UNK/ARM/RADAR/KR/24//
/RPT000013002/3
JPOS/030800Z1/JUL/3330N9/08051W4/OTHER
JUNIT/J13001/TU STA CIVCOMM 3/ADMIN/UNK/ARM/TU/KR/24///RPT000013001/3
```

MAKERDB SETTING

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

```
Window into C:\PROGRA~1\REPEAT\DATA\FX20S2X.TDF
OTXFM:0212
TO:0234,0000,0000,0000,0000
TDP MSN:1001
V6 MSN:6001
TYPE:02
PRECEDENCE:IMMED
TEXT:Y
NET:OTCIXS DATA
ERR:OKAY
ZNR UUUUU
O 030800Z JUL 02
FM SCENARIO INPUTS
TO JMCIS
BT
UNCLAS
MSGID/JWID 01 SITES/JUNIT/0001/JUL
JUNIT/J13091/NEWPORT NEWS TERRORIST HQ/UNK/UNK/ARM/SABOT/KR/24//
/RPT000013091/3
JPOS/030800Z1/JUL/3650N4/07700W4/OTHER
JUNIT/J13002/RADAR SITE ORANGEBURG/ES/UNK/ARM/RADAR/KR/24//
/RPT000013002/3
JPOS/030800Z1/JUL/3330N9/08051W4/OTHER
JUNIT/J13001/TV STA CIVCOMM 3/ADMIN/UNK/ARM/TV/KR/24//
```

```
Enter the default year
2003
F1=HELP  ESC=NoValue
```

MAKERDB SETTING 2

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

Window into C:\PROGRA~1\REPEAT\DATA\FX20S2X.TDF

```
OTXFM:0212
TO:0234,0000,0000,0000,0000
TDP MSN:1001
V6 MSN:6001
TYPE:02
PRECEDENCE:IMMED
TEXT:Y
NET:OTCIXS DATA
ERR:OKAY
ZNR UUUUU
O 030800Z JUL 02
FM SCENARIO INPUTS
TO JMCIS
BT
UNCLAS
MSGID/JWID 01 SITES/JUNIT/0001/JUL
JUNIT/J13091/NEWPORT NEWS TERRORIST HQ/UNK/UNK/ARM/SABOT/KR/24//
/RPT000013091/3
JPOS/030800Z1/JUL/3650N4/07700W4/OTHER
JUNIT/J13002/RADAR SITE ORANGEBURG/ES/UNK/ARM/RADAR/KR/24//
/RPT000013002/3
JPOS/030800Z1/JUL/3330N9/08051W4/OTHER
JUNIT/J13001/TV STA CIVCOMM 3/ADMIN/UNK/ARM/TV/KR/24//
```

Enter default month

JAN

F1=HELP ESC=NoValue

MAKERDB EXECUTION

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

```
The following files are being tested for Start String and RDB overwrites:

 FX20S2X.TDF

Proceed to build RDBs from all files listed above? (Y or N):
```

MAKERDB DUPRDB CALL

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

Situation Notification

DUPRDB application can not be run.

Either DUPRDB.EXE not in path or not enough memory available.
Please note that you must run DUPRDB to set correct values in
the "O" field (formerly called the "MORG" filed).

The DUPRDB application can be run as a stand-alone program.

Proceed to build RDBs from all files listed above? (Y or N):

Please respond to continue.

OVER RIGHT WARNING

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\MAKE RDB.lnk

```
                    OVERWRITE WARNING

 InFile = C:\PROGRA~1\REPEAT\DATA\FX20S2X.TDF
OutFile = C:\PROGRA~1\REPEAT\DATA\FX20S2X.RDB

This output RDB file already exists. You now have four courses
of action.

   1. Enter a new name for the RDB file.

   2. Skip this input file. (Do not build a RDB file.)

   3. Proceed to overwrite the RDB file.

   4. Proceed to overwrite the RDB file. Also overwrite
      subsequent RDBs without prompting. The "OVERWRITE
      WARNING" will not be reissued.

Enter the number of your choice :
```

DUPRDB CALL

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\DUP RDB.lnk

```
DUPRDB - Version 2003
                    Rdb File Selection Box
C:\PROGRA~1\REPEAT\CLASSIC\\*.RDB
F1=HELP  ESC=NoValue

Non-contact Rec:
Duplicate Con  :
Invalid Con    :
Valid Contacts :

Duplicate Msgs :
Dup Msg Contact:      0 of
Inv Msg Contact:      0 of

Pct Sorted     :
Options        :

              * * * DOD CONTROLLED SOFTWARE * * *
        * * * UNAUTHORIZED USE OR DISTRIBUTION PROHIBITED * * *
```

DUPRDB PARAMATER

C:\Documents and Settings\All Users\Desktop\Repeat\Classic\DUP RDB.lnk

```
Choose Lat/Lon rounding desired
  No Rounding
  Tenth Second
  Second
  Minute
  Degree                                  List

 Invalid Con    :
 Valid Contacts :

 Duplicate Msgs :
 Dup Msg Contact:      0 of
 Inv Msg Contact:      0 of

 Pct Sorted     :
 Options        :

                * * * DOD CONTROLLED SOFTWARE * * *
        * * * UNAUTHORIZED USE OR DISTRIBUTION PROHIBITED * * *
```